

ROUND HUB 65 mm

Rock / Tungsten Augers



FEATURES

- » 65 mm Round hub to suit S4 Auger Drives
- » Shallow pitch flights
- » Non-dislodgment Shock Lock teeth (Tungsten)
- » Bullet style teeth (Rock)


LENGTH

1200 mm

FLIGHT THICKNESS

6 mm

DIAMETER	HUB	TUNGSTEN CODE	WEIGHT	ROCK CODE	WEIGHT	PRICING
100 mm (4")	65 mm Round	100TUNGS4	19 kg	n/a	n/a	GET QUOTE
150 mm (6")		150TUNGS4	22 kg	150ROCKS4	24 kg	
200 mm (8")		200TUNGS4	26 kg	200ROCKS4	28 kg	
225 mm (9")		225TUNGS4	27 kg	225ROCKS4	29 kg	
250 mm (10")		250TUNGS4	28 kg	250ROCKS4	30 kg	
300 mm (12")		300TUNGS4	32.5 kg	300ROCKS4	33 kg	
350 mm (14")		350TUNGS4	34 kg	350ROCKS4	35.5 kg	
400 mm (16")		400TUNGS4	36.5 kg	400ROCKS4	37 kg	
450 mm (18")		450TUNGS4	41 kg	450ROCKS4	40.5 kg	
500 mm (20")		500TUNGS4	44 kg	500ROCKS4	43 kg	
600 mm (24")		600TUNGS4	54 kg	600ROCKS4	52 kg	
750 mm (30")		750TUNGS4	66 kg	750ROCKS4	64 kg	
900 mm (36")		900TUNGS4	83 kg	900ROCKS4	80.5 kg	
PARTS CODE	WEAR PARTS				WEIGHT	PRICING
33-9122-KIT	S4 Tungsten Tooth - outer				0.25 kg	GET QUOTE
33-9125-KIT	S4 Tungsten Chisel Tooth - inner				0.2 kg	
33-9204-KIT	S4 Tungsten Pilot				1.6 kg	
33-9212-KIT	S4 Extra Dig Pilot - retro fits to Tungsten Auger				1.3 kg	
33-9107	S4 Rock Tooth				0.2 kg	
33-9207-KIT	S4 Rock Pilot				2.4 kg	



Hard Work Made Easy

1800 888 114 himac.com.au

SQUARE HUB 75 MM

Rock / Tungsten Augers



TUNGSTEN
S5 AUGER



ROCK
S5 AUGER



FEATURES

- » 75 mm Square hub to suit S5 Auger Drives
- » Shallow pitch flights
- » Non-dislodgment Shock Lock teeth (Tungsten)
- » Fitted with extra dig pilots (Rock)

LENGTH

1570 mm

FLIGHT THICKNESS

8 mm

DIAMETER	HUB	TUNGSTEN CODE	WEIGHT	ROCK CODE	WEIGHT	PRICING
150 mm (6")	75 mm Square	150TUNGS5	37.5 kg	150ROCKS5	38.5 kg	GET QUOTE
200 mm (8")		200TUNGS5	44 kg	200ROCKS5	45 kg	
225 mm (9")		225TUNGS5	46.5 kg	225ROCKS5	47.5 kg	
250 mm (10")		250TUNGS5	48 kg	250ROCKS5	49 kg	
300 mm (12")		300TUNGS5	53 kg	300ROCKS5	53 kg	
350 mm (14")		350TUNGS5	57.5 kg	350ROCKS5	57 kg	
400 mm (16")		400TUNGS5	63 kg	400ROCKS5	62 kg	
450 mm (18")		450TUNGS5	66 kg	450ROCKS5	64.5 kg	
500 mm (20")		500TUNGS5	75 kg	500ROCKS5	74 kg	
600 mm (24")		600TUNGS5	86 kg	600ROCKS5	83.5 kg	
750 mm (30")		750TUNGS5	107 kg	750ROCKS5	104 kg	
900 mm (36")		900TUNGS5	137.5 kg	900ROCKS5	134 kg	
1000 mm (40")		1000TUNGS5	150 kg	1000ROCKS5	146 kg	
1200 mm (48")		1200TUNGS5	173 kg	1200ROCKS5	167 kg	
PARTS CODE	WEAR PARTS				WEIGHT	PRICING
33-9127-KIT	S5 Tungsten Tooth				0.25 kg	GET QUOTE
33-9206-KIT	S5 Tungsten Pilot				3 kg	
33-9107	S5 Rock Tooth				0.2 kg	
33-9207-KIT	S5 Rock Pilot				2.3 kg	
33-9210-KIT	S5 Rock Pilot - 150 mm cut				2.3 kg	



» **Hard Work Made Easy**

☎ **1800 888 114** 🌐 **himac.com.au**

Auger Additions



SHAFT ADAPTERS

MALE AUGER HUBS

FEMALE AUGER HUBS

EXTENSION



FEATURES

- » Customise your Auger setup
- » Extensions include pin and clip
- » Extensions up to 2.5 m long
- » Telescopic Extensions available - POA

EXTENSION RANGE

0.5 - 2.5 m

AUGER SUITABILITY

S4 / S5

CODE	AUGER EXTENSIONS	HUB TYPE	WEIGHT	PRICING
31-4050200	S4 500 mm Extension	65 mm Round	11 kg	GET QUOTE
31-4080200	S4 800 mm Extension	65 mm Round	13.5 kg	
31-4100200	S4 1000 mm Extension	65 mm Round	17.5 kg	
31-4120200	S4 1200 mm Extension	65 mm Round	19.5 kg	
31-5100600	S5 1000 mm Extension	75 mm Square	29 kg	
31-5150600	S5 1500 mm Extension	75 mm Square	37 kg	
31-5200600	S5 2000 mm Extension	75 mm Square	56.5 kg	
31-5250600	S5 2500 mm Extension	75 mm Square	70 kg	
CODE	AUGER SHAFT ADAPTERS		WEIGHT	PRICING
31-4901	S4 65 mm Round Female - S4 2" Hex Male		6 kg	GET QUOTE
31-4907	S4 65 mm Round Female - S5 75 mm Square Male		14.5 kg	
31-4910	S4 65 mm Round Female - S4 2" Round Male		6 kg	
31-4911	S4 2" Round Female - S4 65 mm Round Male		6 kg	
31-4906	S4 2" Hex Female - S4 65 mm Round Male		8 kg	
31-5906	S5 2" Hex Female - S5 75 mm Square Male		12.5 kg	
31-5907	S5 75 mm Square Female - S5 2" Hex Male		11 kg	
31-5909	S5 75 mm Square Female - S4 65 mm Round Male		10.5 kg	
CODE	AUGER HUBS		WEIGHT	PRICING
35-4026	S4 2" Round Female		3 kg	GET QUOTE
35-4033	S4 2" Hex Female		4 kg	
31-4007	S4 2" Hex Male		3 kg	
35-4013	S4 65 mm Round Female		3 kg	
31-4009	S4 65 mm Round Male		3.5 kg	
35-5010	S5 75 mm Square Female		6 kg	
31-5007	S5 75 mm Square Male		8 kg	