

ROUND HUB 65 mm

# Rock / Tungsten Augers



## FEATURES

- » 65 mm Round hub to suit S4 Auger Drives
- » Shallow pitch flights
- » Non-dislodgment Shock Lock teeth ( Tungsten )
- » Bullet style teeth ( Rock )

LENGTH

**1200 mm**

FLIGHT THICKNESS

**6 mm**

| DIAMETER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | HUB                                               | TUNGSTEN CODE | WEIGHT    | ROCK CODE | WEIGHT  | PRICING   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------|-----------|-----------|---------|-----------|
| 100 mm ( 4" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 65 mm Round                                       | 100TUNGS4     | 19 kg     | n/a       | n/a     | GET QUOTE |
| 150 mm ( 6" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                   | 150TUNGS4     | 22 kg     | 150ROCKS4 | 24 kg   |           |
| 200 mm ( 8" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                   | 200TUNGS4     | 26 kg     | 200ROCKS4 | 28 kg   |           |
| 225 mm ( 9" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                   | 225TUNGS4     | 27 kg     | 225ROCKS4 | 29 kg   |           |
| 250 mm ( 10" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 250TUNGS4     | 28 kg     | 250ROCKS4 | 30 kg   |           |
| 300 mm ( 12" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 300TUNGS4     | 32.5 kg   | 300ROCKS4 | 33 kg   |           |
| 350 mm ( 14" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 350TUNGS4     | 34 kg     | 350ROCKS4 | 35.5 kg |           |
| 400 mm ( 16" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 400TUNGS4     | 36.5 kg   | 400ROCKS4 | 37 kg   |           |
| 450 mm ( 18" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 450TUNGS4     | 41 kg     | 450ROCKS4 | 40.5 kg |           |
| 500 mm ( 20" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 500TUNGS4     | 44 kg     | 500ROCKS4 | 43 kg   |           |
| 600 mm ( 24" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 600TUNGS4     | 54 kg     | 600ROCKS4 | 52 kg   |           |
| 750 mm ( 30" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | 750TUNGS4     | 66 kg     | 750ROCKS4 | 64 kg   |           |
| 900 mm ( 36" )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 900TUNGS4                                         | 83 kg         | 900ROCKS4 | 80.5 kg   |         |           |
| PARTS CODE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | WEAR PARTS                                        |               |           |           | WEIGHT  | PRICING   |
| 33-9122-KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | S4 Tungsten Tooth - outer                         |               |           |           | 0.25 kg | GET QUOTE |
| 33-9125-KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | S4 Tungsten Chisel Tooth - inner                  |               |           |           | 0.2 kg  |           |
| 33-9204-KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | S4 Tungsten Pilot                                 |               |           |           | 1.6 kg  |           |
| 33-9212-KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | S4 Extra Dig Pilot - retro fits to Tungsten Auger |               |           |           | 1.3 kg  |           |
| 33-9107                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | S4 Rock Tooth                                     |               |           |           | 0.2 kg  |           |
| 33-9207-KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | S4 Rock Pilot                                     |               |           |           | 2.4 kg  |           |
| <div><div><p>33-9122-KIT<br/>Tungsten Tooth</p></div><div><p>33-9125-KIT<br/>Tungsten Chisel Tooth</p></div><div><p>33-9204-KIT<br/>Tungsten Pilot</p></div><div><p>33-9212-KIT<br/>Extra Dig Pilot</p></div><div><p>33-9107<br/>Rock Tooth</p></div><div><p>33-9207-KIT<br/>Rock Pilot</p></div></div> |                                                   |               |           |           |         |           |

SQUARE HUB 75 MM

# Rock / Tungsten Augers



TUNGSTEN  
S5 AUGER



ROCK  
S5 AUGER



## FEATURES

- » 75 mm Square hub to suit S5 Auger Drives
- » Shallow pitch flights
- » Non-dislodgment Shock Lock teeth ( Tungsten )
- » Fitted with extra dig pilots ( Rock )


## LENGTH

**1570 mm**

## FLIGHT THICKNESS

**8 mm**

| DIAMETER        | HUB                        | TUNGSTEN CODE | WEIGHT   | ROCK CODE  | WEIGHT  | PRICING   |
|-----------------|----------------------------|---------------|----------|------------|---------|-----------|
| 150 mm ( 6" )   | 75 mm Square               | 150TUNGS5     | 37.5 kg  | 150ROCKS5  | 38.5 kg | GET QUOTE |
| 200 mm ( 8" )   |                            | 200TUNGS5     | 44 kg    | 200ROCKS5  | 45 kg   |           |
| 225 mm ( 9" )   |                            | 225TUNGS5     | 46.5 kg  | 225ROCKS5  | 47.5 kg |           |
| 250 mm ( 10" )  |                            | 250TUNGS5     | 48 kg    | 250ROCKS5  | 49 kg   |           |
| 300 mm ( 12" )  |                            | 300TUNGS5     | 53 kg    | 300ROCKS5  | 53 kg   |           |
| 350 mm ( 14" )  |                            | 350TUNGS5     | 57.5 kg  | 350ROCKS5  | 57 kg   |           |
| 400 mm ( 16" )  |                            | 400TUNGS5     | 63 kg    | 400ROCKS5  | 62 kg   |           |
| 450 mm ( 18" )  |                            | 450TUNGS5     | 66 kg    | 450ROCKS5  | 64.5 kg |           |
| 500 mm ( 20" )  |                            | 500TUNGS5     | 75 kg    | 500ROCKS5  | 74 kg   |           |
| 600 mm ( 24" )  |                            | 600TUNGS5     | 86 kg    | 600ROCKS5  | 83.5 kg |           |
| 750 mm ( 30" )  |                            | 750TUNGS5     | 107 kg   | 750ROCKS5  | 104 kg  |           |
| 900 mm ( 36" )  |                            | 900TUNGS5     | 137.5 kg | 900ROCKS5  | 134 kg  |           |
| 1000 mm ( 40" ) |                            | 1000TUNGS5    | 150 kg   | 1000ROCKS5 | 146 kg  |           |
| 1200 mm ( 48" ) |                            | 1200TUNGS5    | 173 kg   | 1200ROCKS5 | 167 kg  |           |
| PARTS CODE      | WEAR PARTS                 |               |          |            | WEIGHT  | PRICING   |
| 33-9127-KIT     | S5 Tungsten Tooth          |               |          |            | 0.25 kg | GET QUOTE |
| 33-9206-KIT     | S5 Tungsten Pilot          |               |          |            | 3 kg    |           |
| 33-9107         | S5 Rock Tooth              |               |          |            | 0.2 kg  |           |
| 33-9207-KIT     | S5 Rock Pilot              |               |          |            | 2.3 kg  |           |
| 33-9210-KIT     | S5 Rock Pilot - 150 mm cut |               |          |            | 2.3 kg  |           |



» **Hard Work Made Easy**

☎ **1800 888 114**

🌐 **himac.com.au**

# Auger Additions



SHAFT ADAPTERS

MALE AUGER HUBS

FEMALE AUGER HUBS

EXTENSION



## FEATURES

- » Customise your Auger setup
- » Extensions include pin and clip
- » Extensions up to 2.5 m long
- » Telescopic Extensions available - POA

## EXTENSION RANGE

**0.5 - 2.5 m**

## AUGER SUITABILITY

**S4 / S5**

| CODE       | AUGER EXTENSIONS                             | HUB TYPE     | WEIGHT  | PRICING   |
|------------|----------------------------------------------|--------------|---------|-----------|
| 31-4050200 | S4 500 mm Extension                          | 65 mm Round  | 11 kg   | GET QUOTE |
| 31-4080200 | S4 800 mm Extension                          | 65 mm Round  | 13.5 kg |           |
| 31-4100200 | S4 1000 mm Extension                         | 65 mm Round  | 17.5 kg |           |
| 31-4120200 | S4 1200 mm Extension                         | 65 mm Round  | 19.5 kg |           |
| 31-5100600 | S5 1000 mm Extension                         | 75 mm Square | 29 kg   |           |
| 31-5150600 | S5 1500 mm Extension                         | 75 mm Square | 37 kg   |           |
| 31-5200600 | S5 2000 mm Extension                         | 75 mm Square | 56.5 kg |           |
| 31-5250600 | S5 2500 mm Extension                         | 75 mm Square | 70 kg   |           |
| CODE       | AUGER SHAFT ADAPTERS                         |              | WEIGHT  | PRICING   |
| 31-4901    | S4 65 mm Round Female - S4 2" Hex Male       |              | 6 kg    | GET QUOTE |
| 31-4907    | S4 65 mm Round Female - S5 75 mm Square Male |              | 14.5 kg |           |
| 31-4910    | S4 65 mm Round Female - S4 2" Round Male     |              | 6 kg    |           |
| 31-4911    | S4 2" Round Female - S4 65 mm Round Male     |              | 6 kg    |           |
| 31-4906    | S4 2" Hex Female - S4 65 mm Round Male       |              | 8 kg    |           |
| 31-5906    | S5 2" Hex Female - S5 75 mm Square Male      |              | 12.5 kg |           |
| 31-5907    | S5 75 mm Square Female - S5 2" Hex Male      |              | 11 kg   |           |
| 31-5909    | S5 75 mm Square Female - S4 65 mm Round Male |              | 10.5 kg |           |
| CODE       | AUGER HUBS                                   |              | WEIGHT  | PRICING   |
| 35-4026    | S4 2" Round Female                           |              | 3 kg    | GET QUOTE |
| 35-4033    | S4 2" Hex Female                             |              | 4 kg    |           |
| 31-4007    | S4 2" Hex Male                               |              | 3 kg    |           |
| 35-4013    | S4 65 mm Round Female                        |              | 3 kg    |           |
| 31-4009    | S4 65 mm Round Male                          |              | 3.5 kg  |           |
| 35-5010    | S5 75 mm Square Female                       |              | 6 kg    |           |
| 31-5007    | S5 75 mm Square Male                         |              | 8 kg    |           |